



II:




wherein  $R^1$ ,  $R^2$ , and  $R^3$  are independently selected from the group consisting of hydrogen, alkanoyl having 2 to 6 carbons, hydroxy-substituted alkanoyl having 2 to 6 carbons, and acyloxy-substituted alkanoyl having 2 to 6 carbons, wherein  $n$  is between 1 and 20, and wherein at least one of  $R^1$ ,  $R^2$ , and  $R^3$  is other than hydrogen;

III:




wherein  $n$  is an integer between 4 and 8, and  $R^1$  and  $R^2$  are independently selected from the group consisting of hydrogen, alkanoyl having 2 to 6 carbons, hydroxy-substituted alkanoyl having 2 to 6 carbons, and acyloxy-substituted alkanoyl having 2 to 6 carbons, and wherein at least one of  $R^1$  and  $R^2$  is other than hydrogen;

IV:




V:



out


wherein  $R^1$ ,  $R^2$ ,  $R^3$ ,  $R^4$ , and  $R^5$  are independently selected from the group consisting of hydrogen, alkanoyl having 2 to 6 carbons, hydroxy-substituted alkanoyl having 2 to 6 carbons, and acyloxy-substituted alkanoyl having 2 to 6 carbons, and wherein at least one of  $R^1$ ,  $R^2$ ,  $R^3$ ,  $R^4$ ,  $R^5$  is not hydrogen and is not acetyl, and wherein when  $R^5$  is hydrogen, at least one of  $R^1$ ,  $R^2$ ,  $R^3$ , and  $R^4$  is not acetyl;

VI:




01  
cont

VII:




wherein  $R^1$ ,  $R^2$ ,  $R^3$ ,  $R^4$ ,  $R^5$ , and  $R^6$  are independently selected from the group consisting of hydrogen, alkanoyl having 2 to 6 carbons, hydroxy-substituted alkanoyl having 2 to 6 carbons, and acyloxy-substituted alkanoyl having 2 to 6 carbons, and wherein at least one of  $R^1$ ,  $R^2$ ,  $R^3$ ,  $R^4$ ,  $R^5$ , and  $R^6$  is other than hydrogen;

VIII:




wherein  $\text{R}^1$ ,  $\text{R}^2$ ,  $\text{R}^3$ , and  $\text{R}^4$  are independently selected from the group consisting of hydrogen, alkanoyl having 2 to 6 carbons, hydroxy-substituted alkanoyl having 2 to 6 carbons, and acyloxy-substituted alkanoyl having 2 to 6 carbons, and wherein at least one of  $\text{R}^1$ ,  $\text{R}^2$ ,  $\text{R}^3$ , and  $\text{R}^4$  is other than hydrogen.

92. (Amended) A compound having structure:



wherein  $\text{R}^1$ ,  $\text{R}^2$ ,  $\text{R}^3$ ,  $\text{R}^4$ , and  $\text{R}^5$  are independently selected from the group consisting of hydrogen, alkanoyl having 2 to 6 carbons, hydroxy-substituted alkanoyl having 2 to 6 carbons, and acyloxy-substituted alkanoyl having 2 to 6 carbons, and wherein at least one of  $\text{R}^1$ ,  $\text{R}^2$ ,  $\text{R}^3$ ,  $\text{R}^4$ , and  $\text{R}^5$  is not hydrogen, and is not acetyl.

93. (Amended) A compound having structure:



wherein  $\text{R}^1$ ,  $\text{R}^2$ ,  $\text{R}^3$ ,  $\text{R}^4$ , and  $\text{R}^5$  are independently selected from the group consisting of hydrogen, alkanoyl having 2 to 6 carbons, hydroxy-substituted alkanoyl having 2 to 6 carbons, and acyloxy-substituted alkanoyl having 2 to 6 carbons, and wherein at least one of  $\text{R}^1$ ,  $\text{R}^2$ ,  $\text{R}^3$ ,  $\text{R}^4$ , and  $\text{R}^5$  is hydroxy-substituted alkanoyl.